Author index

Abbott, R.J. & Comes, H.P. Evolution in the Arctic: a phylogeographic analysis of the circumarctic plant, *Saxifraga oppositifolia* (Purple saxifrage), 211

Adriaensen, K., van der Lelie, D., Van Laere, A., Vangronsveld, J. & Colpaert, J.V. A zinc-adapted fungus protects pines from zinc stress, 549

Ainouche, M.L., Baumel, A., Salmon, A. & Yannic, G. Hybridization, polyploidy and speciation in *Spartina* (Poaceae), 165

Albrechtová, M. *see* Pecháčková, S.

Alkan, N., Gadkar, V., Coburn, J., Yarden, O. & Kapulnik, Y. Quantification of the arbuscular mycorrhizal fungus *Glomus intraradices* in host tissue using real-time polymerase chain reaction, 877

Allara, P. *see* Schubert, A.

Altenbach, D. *see* Nagaraj, V.J.

Anten, N.P.R., Hirose, T., Onoda, Y., Kinugasa, T., Kim, H.Y., Okada, M. & Kobayashi, K. Elevated CO_2 and nitrogen availability have interactive effects on canopy carbon gain in rice, 459

Apostolakos, P. *see* Galatis, B.

Arnold, M.L., Bouck, A.C. & Cornman, R.S. Verne Grant and Louisiana Irises: Is there anything new under the sun?, 143

Arora, R. *see* Marian, C.O.

Arroyo, J. *see* Pérez, R.

Azmi, A. *see* Boiten, H.

Bailey, D.J., Kleczkowski, A. & Gilligan, C.A. Epidemiological dynamics and the efficiency of biological control of soil-borne disease during consecutive epidemics in a controlled environment, 569

Baldan, B. *see* Zuppini, A.

Batoko, H. *see* Dielen, V.

Batoux, M. *see* Sanchez, L.

Baumel, A. *see* Ainouche, M.L.

Belote, R.T., Weltzin, J.F. & Norby, R.J. Response of an understory plant community to elevated $[CO_2]$ depends on differential responses of dominant invasive species and is mediated by soil water availability, 827

Béreau, M. *see* de Grandcourt, A.

Berglund, A.-B.N., Dahlgren, S. & Westerbergh, A. Evidence for parallel evolution and site-specific selection of serpentine tolerance in *Cerastium alpinum* during the colonization of Scandinavia, 199

Bodénès, C. *see* Petit, R.J.

Bohs, L. *see* Igic, B.

Boiten, H., Azmi, A., Dillen, W., de Schepper, S., Debergh, P., Gerats, T., Van Onckelen, H. & Prinsen, E. The *Rg-1* encoded regeneration capacity of tomato is not related to an altered cytokinin homeostasis, 761

Boller, T. *see* Nagaraj, V.J.

Booth, R.E. *see* Johnson, D.

Booth, R.E. *see* Phoenix, G.K

Bouck, A.C. *see* Arnold, M.L.

Brand, J.H. *see* Sundaram, S.

Brechenmacher, L. *see* Sanchez, L.

Brown, A.H.D. *see* Doyle, J.J.

Campbell, D.R. Natural selection in *Ipomopsis* hybrid zones: implications for ecological speciation, 83

Cann, M.J. Signalling through cyclic nucleotide monophosphates in cyanobacteria, 23

Carne-Cavagnaro, V.L. *see* Cavagnaro, T.R.

Cavagnaro, T.R. *see* Ezawa, T.

Cavagnaro, T.R., Smith, F.A., Hay, G., Carne-Cavagnaro, V.L. & Smith, S.E. Inoculum type does not affect overall resistance of an arbuscular mycorrhiza-defective tomato mutant to colonisation but inoculation does change competitive interactions with wild-type tomato, 485

Cedergreen, N. & Madsen, T.V. Light regulation of root and leaf NO_3^- uptake and reduction in the floating macrophyte *Lemna minor*, 449

Chao, J. *see* Dielen, V.

Church, S.A. *see* Rieseberg, L.H.

Coburn, J. *see* Alkan, N.

Colpaert, J.V. *see* Adriaensen, K.

Comas, P. *see* Peñuelas, J.

Comes, H.P. *see* Abbott, R.J.

Cornman, R.S. *see* Arnold, M.L.

Cronn, R. & Wendel, J.F. Cryptic trysts, genomic mergers, and plant speciation, 133

Dahlgren, S. *see* Berglund, A.-B.N.

Dalmasso, M.C. *see* Gárriz, A.

van Dam, N.M., Witjes, L. & Svatoš, A. Interactions between aboveground and belowground induction of glucosinolates in two wild *Brassica* species, 801

Dawson, L.A., Thornton, B., Pratt, S.M. & Paterson, E. Morphological and topological responses of roots to defoliation and nitrogen supply in *Lolium perenne* and *Festuca ovina*, 811

Debaud, J.-C. *see* Guidot, A.

Debergh, P. *see* Boiten, H.

Dent, K.C. *see* Stephen, J.R.

Dielen, V., Quinet, M., Chao, J., Batoko, H., Havelange, A. & Kinet, J.-M. *UNIFLORA*, a pivotal gene that regulates floral transition and meristem identity in tomato (*Lycopersicon esculentum*), 393

Dillen, W. *see* Boiten, H.

Doyle, J.J., Doyle, J.L., Rauscher, J.T. & Brown, A.H.D. Diploid and polyploid reticulate evolution throughout the history of the perennial soybeans (*Glycine* subgenus *Glycine*), 121

Doyle, J.L. *see* Doyle, J.J.

Ducousso, A. *see* Petit, R.J.
Dunham, S. *see* Kretzer, A.M.
Dunn, T.M. *see* Lynch, D.V.

Effosse, A. *see* Guidot, A.
Epron, D. *see* de Grandcourt, A.
Erickson, J.E., Stanosz, G.R., & Kruger, E.L. Photosynthetic consequences of Marssonina leaf spot differ between two poplar hybrids, 577
Estiarte, M. *see* Peñuelas, J.
Evans, D.E. Aerenchyma formation, 35
Ezawa, T., Cavagnaro, T.R., Smith, S.E., Smith, F.A. & Ohtomo, R. Rapid accumulation of polyphosphate in extraradical hyphae of an arbuscular mycorrhizal fungus as revealed by histochemistry and a polyphosphate kinase/luciferase system, 387

Favaron, F. *see* Zuppini, A.
Felle, H.H. *see* Hanstein, S.M.
Filella, I. *see* Peñuelas, J.
Finch-Savage, W.E. *see* Stephen, J.R.
Franceschi, V.R. *see* Mazen, A.M.A.
Fromm, J. *see* Koziolek, C.
Fry, S.C. Primary cell wall metabolism: tracking the careers of wall polymers in living plant cells, 641
Fujiki, D. & Kikuzawa, K. Classifying aerial stems of woody plants by developmental stages using relative growth rate, 427
Fujita, K. *see* Zhao, J.
Fulton, M. *see* Hodges, S.A.

Gadkar, V. *see* Alkan, N.
Galati, V. *see* Nagaraj, V.J.
Galatis, B. & Apostolakos, P. The role of the cytoskeleton in the morphogenesisand function of stomatal complexes, 613
Garbaye, J. *see* de Grandcourt, A.
Gárriz, A., Dalmasso, M.C., Marina, M., Rivas, E.I., Ruiz, O.A. & Pieckenstain, F.L. Polyamine metabolism during the germination of *Sclerotinia sclerotiorum* ascospores and its relation with host infection, 847
Gerats, T. *see* Boiten, H.
Gianinazzi, S. *see* Sanchez, L.
Gianinazzi-Pearson, V. *see* Sanchez, L.
Gilbert, L. *see* Johnson, D.
Gilligan, C.A. *see* Bailey, D.J.
Givnish, T.J. *see* Patterson, T.B.
Gottlieb, L.D. Rethinking classic examples of recent speciation in plants, 71
Grams, T.E.E. *see* Koziolek, C.
de Grandcourt, A., Epron, D., Montpied, P., Louisanna, E., Béreau, M., Garbaye, J. & Guehl, J.-M. Contrasting responses to mycorrhizal inoculation and phosphorus availability in seedlings of two tropical rainforest tree species, 865
Gregoire, T.G. *see* Richardson, A.D.
Griffin, K.L. *see* Turnbull, M.H.
Grime, J.P. *see* Johnson, D.
Grime, J.P. *see* Phoenix, G.K
Guehl, J.-M. *see* de Grandcourt, A.
Guidot, A., Debaud, J.-C., Effosse, A. & Marmeisse, R. Belowground distribution and persistence of an ectomycorrhizal fungus, 539
Guo, Y. *see* Zhao, J.

Hadincová, V. *see* Pecháčková, S.
Häikiö, E. *see* Oksanen, E.
Hanstein, S.M. & Felle, H.H. Nanoinfusion: an integrating tool to study elicitor perception and signal transduction in intact leaves, 595
Havelange, A. *see* Dielen, V.
Hay, G. *see* Cavagnaro, T.R.
Herben, T. *see* Pecháčková, S.
Herrera, C.M. Distribution ecology of pollen tubes: fine-grained, labile spatial mosaics in southern Spanish Lamiaceae, 473
Hiremath, S. *see* Sundaram, S.
Hirose, T. *see* Anten, N.P.R.
Hobbie, E.A. & Werner, R.A. Intramolecular, compound-specific, and bulk carbon isotope patterns in C_3 and C_4 plants: a review and synthesis, 371
Hodges, S.A., Fulton, M., Yang, J.Y. & Whittall, J.B. Verne Grant and evolutionary studies of *Aquilegia*, 113
Hovenden, M.J. & Vander Schoor, J.K. Nature vs nurture in the leaf morphology of Southern beech, *Nothofagus cunninghamii* (Nothofagaceae), 585
Husband, B.C. & Sabara, H.A. Reproductive isolation between autotetraploids and their diploid progenitors in fireweed, *Chamerion angustifolium* (Onagraceae), 703
Hymes, M.J. *see* Sundaram, S.

Igic, B., Bohs, L. & Kohn, J.R. Historical inferences from the self-incompatibility locus, 97

Johnson, D., Vandenkoornhuyse, P.J., Leake, J.R., Gilbert, L., Booth, R.E., Grime, J.P., Young, J.P.W. & Read, D.J. Plant communities affect arbuscular mycorrhizal fungal diversity and community composition in grassland microcosms, 503

Kapulnik, Y. *see* Alkan, N.
Karnosky, D.F. *see* Oksanen, E.
Kephart, S. & Theiss, K. Pollinator-mediated isolation in sympatric milkweeds (*Asclepias*): do floral morphology and insect behavior influence species boundaries?, 265
Kikuzawa, K. *see* Fujiki, D.
Kim, H.Y. *see* Anten, N.P.R.
Kinet, J.-M. *see* Dielen, V.
Kinugasa, T. *see* Anten, N.P.R.
Kleczkowski, A. *see* Bailey, D.J.
Kobayashi, K. *see* Anten, N.P.R.
Kohn, J.R. *see* Igic, B.
Kostadinova, S. *see* Morcuende, R.
Kottke, I. *see* Wubet, T.

Koziolek, C., Grams, T.E.E., Schreiber, U., Matyssek, R. & Fromm, J. Transient knockout of photosynthesis mediated by electrical signals, 715
Krahulec, F. *see* Pecháčková, S.
Krebs, S.L. *see* Marian, C.O.
Kremer, A. *see* Petit, R.J.
Kretzer, A.M., Dunham, S., Molina, R. & Spatafora, J.W. Microsatellite markers reveal the below ground distribution of genets in two species of *Rhizopogon* forming tuberculate ectomycorrhizas on Douglas fir, 313
Kruger, E.L. *see* Erickson, J.E.

Lai, Z. *see* Lexer, C.
Latta, R.G. Gene flow, adaptive population divergence and comparative population structure across loci, 51
Leake, J.R. *see* Johnson, D.
Leake, J.R. *see* Phoenix, G.K
Lee, J.A. *see* Phoenix, G.K
van der Lelie, D. *see* Adriaensen, K.
Lemanceau, P. *see* Sanchez, L.
Levin, D.A. The ecological transition in speciation, 91
Lexer, C., Lai, Z. & Rieseberg, L.H. Candidate gene polymorphisms associated with salt tolerance in wild sunflower hybrids: implications for the origin of *Helianthus paradoxus*, a diploid hybrid species, 225
Livingstone, K. & Rieseberg, L. Chromosomal evolution and speciation: a recombination-based approach, 107
Llorens, L. *see* Peñuelas, J.
Lloret, F. *see* Peñuelas, J.
Louisanna, E. *see* de Grandcourt, A.
Lüscher, M. *see* Nagaraj, V.J.
Lynch, D.V. & Dunn, T.M. An introduction to plant sphingolipids and a review of recent advances in understanding their metabolism and function, 677

Madsen, T.V. *see* Cedergreen, N.
Marès, M. *see* Wingler, A.
Marian, C.O., Krebs, S.L. & Arora, R. Dehydrin variability among rhododendron species: a 25-kDa dehydrin is conserved and associated with cold acclimation across diverse species, 773
Mariani, P. *see* Zuppini, A.
Marina, M. *see* Gárriz, A.
Marmeisse, R. *see* Guidot, A.
Martín del Molino, I.M. *see* Morcuende, R.
Martínez-Carrasco, R. *see* Morcuende, R.
Matyssek, R. *see* Koziolek, C.
Mazen, A.M.A., Zhang, D. & Franceschi, V.R. Calcium oxalate formation in *Lemna minor*: physiological and ultrastructural aspects of high capacity calcium sequestration, 435
Meyer, A.D. *see* Nagaraj, V.J.
Millioni, R. *see* Zuppini, A.
Molina, R. *see* Kretzer, A.M.
Montpied, P. *see* de Grandcourt, A.
Morcuende, R., Kostadinova, S., Pérez, P., Martín del Molino, I.M. & Martínez-Carrasco, R. Nitrate is a negative signal for fructan synthesis, and the fructosyltransferase-inducing trehalose inhibits nitrogen and carbon assimilation in excised barley leaves, 749
Morjan, C.L. *see* Rieseberg, L.H.
Morte, A. *see* Schubert, A.
Murthy, R. *see* Turnbull, M.H.

Nagaraj, V.J., Altenbach, D., Galati, V., Lüscher, M., Meyer, A.D., Boller, T. & Wiemken, A. Distinct regulation of sucrose: sucrose-1-fructosyltransferase (1-SST) and sucrose: fructan-6-fructosyltransferase (6-SFT), the key enzymes of fructan synthesis in barley leaves: 1-SST as the pacemaker, 735
Navazio, L. *see* Zuppini, A.
Norby, R.J. *see* Belote, R.T.

Oberwinkler, F. *see* Wubet, T.
Ogaya, R. *see* Peñuelas, J.
Ohtomo, R. *see* Ezawa, T.
Okada, M. *see* Anten, N.P.R.
Oksanen, E., Häikiö, E., Sober, J. & Karnosky, D.F. Ozone-induced H_2O_2 accumulation in field-grown aspen and birch is linked to foliar ultrastructureand peroxisomal activity, 791
van Onckelen, H. *see* Boiten, H.
Onoda, Y. *see* Anten, N.P.R.

Paterson, E. *see* Dawson, L.A.
Patterson, T.B. & Givnish, T.J. Geographic cohesion, chromosomal evolution, parallel adaptive radiations, and consequent floral adaptations in *Calochortus* (Calochortaceae): evidence from a cpDNA phylogeny, 253
Pecháčková, S., Albrechtová, M., Hadincová, V., Krahulec, F. & Herben, T. Horizontal and vertical distribution of root absorption zones of four common grass species in a mountain grassland, 303
Peñuelas, J., Filella, I., Zhang, X., Llorens, L., Ogaya, R., Lloret, F., Comas, P., Estiarte, M. & Terradas, J. Complex spatiotemporal phenological shifts as a response to rainfall changes, 837
Pérez, P. *see* Morcuende, R.
Pérez, R., Vargas, P. & Arroyo, J. Convergent evolution of flower polymorphism in *Narcissus* (Amaryllidaceae), 235
Petit, R.J., Bodénès, C., Ducousso, A., Roussel, G. & Kremer, A. Hybridization as a mechanism of invasion in oaks, 151
Phoenix, G.K, Booth, R.E., Leake, J.R., Read, D.J., Grime, J.P. & Lee, J.A. Simulated pollutant nitrogen deposition increases P demand and enhances root-surface phosphatase activities of three plant functional types in a calcareous grassland, 279
Pieckenstain, F.L. *see* Gárriz, A.
Podila, G.K. *see* Sundaram, S.
Pourtau, N. *see* Wingler, A.
Pratt, S.M. *see* Dawson, L.A.
Prinsen, E. *see* Boiten, H.
Pritchard, H.W. *see* Steadman, K.J.

Quick, W.P. *see* Thomas, P.W.
Quinet, M. *see* Dielen, V.

Rauscher, J.T. *see* Doyle, J.J.
Read, D.J. *see* Johnson, D.
Read, D.J. *see* Phoenix, G.K
Reeves III, J.B. *see* Richardson, A.D.
Richardson, A.D., Reeves III, J.B. & Gregoire, T.G. Multivariate analyses of visible/near infrared (VIS/NIR) absorbance spectra reveal underlying spectral differences among dried, ground conifer needle samples from different growth environments, 291
Rieseberg, L. *see* Livingstone, K.
Rieseberg, L.H. *see* Lexer, C.
Rieseberg, L.H., Church, S.A. & Morjan, C.L. Integration of populations and differentiation of species, 59
Rivas, E.I. *see* Gárriz, A.
Roussel, G. *see* Petit, R.J.
Ruiz, O.A. *see* Gárriz, A.

Sabara, H.A. *see* Husband, B.C.
Sage, R.F. The evolution of C_4 photosynthesis, 341
Sakai, K. *see* Zhao, J.
Salmon, A. *see* Ainouche, M.L.
Sanchez, L., Weidmann, S., Brechenmacher, L., Batoux, M., van Tuinen, D., Lemanceau, P., Gianinazzi, S. & Gianinazzi-Pearson, V. Common gene expression in *Medicago truncatula* roots in response to *Pseudomonas fluorescens* colonization, mycorrhiza development and nodulation, 855
de Schepper, S. *see* Boiten, H.
Schreiber, U. *see* Koziolek, C.
Schubert, A., Allara, P. & Morte, A. Cleavage of sucrose in roots of soybean (*Glycine max*) colonized by an arbuscular mycorrhizal fungus, 495
Smith, F.A. *see* Cavagnaro, T.R.
Smith, F.A. *see* Ezawa, T.
Smith, S.E. *see* Cavagnaro, T.R.
Smith, S.E. *see* Ezawa, T.
Sober, J. *see* Oksanen, E.
Soltis, D.E., Soltis, P.S. & Tate, J.A. Advances in the study of polyploidy since *Plant speciation*, 173
Soltis, P.S. *see* Soltis, D.E.
Sparrow, A.D. *see* Turnbull, M.H.
Spatafora, J.W. *see* Kretzer, A.M.
Stanosz, G.R. *see* Erickson, J.E.
Steadman, K.J. & Pritchard, H.W. Germination of *Aesculus hippocastanum* seeds following cold-induced dormancy loss can be described in relation to a temperature-dependent reduction in base temperature (T_b) and thermal time, 415
Stephen, J.R., Dent, K.C. & Finch-Savage, W.E. Molecular responses of *Prunus avium* (wild cherry) embryonic axes to temperatures affecting dormancy, 401
Sundaram, S., Brand, J.H., Hymes, M.J., Hiremath, S. & Podila, G.K. Isolation and analysis of a symbiosis-regulated and Ras-interacting vesicular assembly protein gene from the ectomycorrhizal fungus *Laccaria bicolor*, 529
Svatoš, A. *see* van Dam, N.M.

Tate, J.A. *see* Soltis, D.E.
Teketay, D. *see* Wubet, T.
Terradas, J. *see* Peñuelas, J.
Theiss, K. *see* Kephart, S.
Thomas, P.W., Woodward, F.I. & Quick, W.P. Systemic irradiance signalling in tobacco, 193
Thornton, B. *see* Dawson, L.A.
Tissue, D.T. *see* Turnbull, M.H.
van Tuinen, D. *see* Sanchez, L.
Turnbull, M.H., Tissue, D.T., Murthy, R., Wang, X., Sparrow, A.D. & Griffin, K.L. Nocturnal warming increases photosynthesis at elevated CO_2 partial pressure in *Populusdeltoides*, 819

Van Laere, A. *see* Adriaensen, K.
Vandenkoornhuyse, P.J. *see* Johnson, D.
Vander Schoor, J.K. *see* Hovenden, M.J.
Vangronsveld, J. *see* Adriaensen, K.
Vargas, P. *see* Pérez, R.

Wang, X. *see* Turnbull, M.H.
Weiß, M. *see* Wubet, T.
Weidmann, S. *see* Sanchez, L.
Weltzin, J.F. *see* Belote, R.T.
Wendel, J.F. *see* Cronn, R.
Werner, R.A. *see* Hobbie, E.A.
Westerbergh, A. *see* Berglund, A.-B.N.
Whittall, J.B. *see* Hodges, S.A.
Wiemken, A. *see* Nagaraj, V.J.
Wingler, A., Marès, M. & Pourtau, N. Spatial patterns and metabolic regulation of photosynthetic parameters during leaf senescence, 781
Witjes, L. *see* van Dam, N.M.
Woodward, F.I. *see* Thomas, P.W.
Wubet, T., Weiß, M., Kottke, I., Teketay, D. & Oberwinkler, F. Molecular diversity of arbuscular mycorrhizal fungi in *Prunus africana*, an endangered medicinal tree species in dry Afromontane forests of Ethiopia, 517

Yang, J.Y. *see* Hodges, S.A.
Yannic, G. *see* Ainouche, M.L.
Yarden, O. *see* Alkan, N.
Young, J.P.W. *see* Johnson, D.

Zhang, D. *see* Mazen, A.M.A.
Zhang, X. *see* Peñuelas, J.
Zhao, J., Guo, Y., Fujita, K. & Sakai, K. Involvement of cAMP signaling in elicitor-induced phytoalexin accumulation in *Cupressus lusitanica* cell cultures, 723
Zuppini, A., Baldan, B., Millioni, R., Favaron, F., Navazio, L. & Mariani, P. Chitosan induces Ca^{2+}-mediated programmed cell death in soybean cells, 557

Keyword Index

α-difluoromethylornithine, 847
abi1, 401
abi3, 401
aboveground–belowground interactions, 801
acclimatization, 449
aco1, 401
actin filaments, 613
action potential, 610
adaptation, 199
adaptive radiation, 253
aerenchyma, 35
allocation, 449
allopolyploidy, 165
altitude, 585
ancestral state, 97
ancient DNA, 339
apoplastic pH, 595
apoptosis, 35
Aquilegia, 113
Arabidopsis, 781
arbuscular mycorrhiza, 517, 877
arbuscular mycorrhiza (AM), 503
arbuscular mycorrhizal fungi, 387
arbuscular mycorrhizas, 485, 495
archeology, 339
Arctic flora, 211
Asclepias, 265
aspen (*Populus tremuloides*), 791
assortative mating, 703
asymmetric introgression, 151

β-thujaplicin, 723
balsam fir (*Abies balsamea*), 291
barley (*Hordeum vulgare*), 595, 735, 749
Bayesian phylogenetic analysis, 517
below-ground mycelium, 539
beneficial fungi, 326
Biogenic Volatile Organic Compounds (BVOC), 21
biological control, 569
bottleneck, 97
Brassica spp, 801

C_3 plants, 371
C_3–C_4 photosynthesis, 341
Ca^{2+}, 723
calcareous grassland, 279
calcium, 435, 557
California Floristic Province, 253
Calochortus, 253
cAMP, 723
candidate gene approach, 225
canopy structure, 459
carbohydrate content, 819
carbohydrate metabolism, 735
carbohydrates, 495
carbon concentration, 341
carbon dioxide, 791
Carex flacca, 279
caspase 3-like, 557
catalase, 791
cell wall, 641
ceramide, 677
Cerastium, 199
chaparral, 21
chilling, 415
chitosan, 557
chlorophyll fluorescence imaging, 715, 781
chloroplast DNA, 151
chloroplast sequences, 235
chromosomal rearrangements, 107
cladistics, 11
Clarkia, 71
CO_2, 21
CO_2 enrichment, 827
coalescence, 51
cold acclimation, 773
conifer foliage, 291
consecutive epidemics, 569
consequent radiation, 253
continuous cropping, 569
convergence, 253
crystals, 435
Cupressus lusitanica, 723
cyclohexylamine, 847
cytokinins, 761
cytoplasmic capture, 151
cytoskeleton, 613
cytotypes, 612

Darwinism, 11
defoliation, 811
dehydrins, 773
Dicorynia guianensis, 865
discriminant analysis, 291
disease assessment, 577
disease dynamics, 569
diversification, 97, 113
diversity, 503
DNA, 17
DNA quantification, 539
DNA sequence, 339
DNA sequences, 13
DNA sequence databanks, 15
DNA sequence databases, 17
dormancy, 415
dry Afromontane forest, 517
dynamic system analysis, 595

eco-devo, 3
ecology, 173
ecological divergence, 91, 225
ecological opportunity, 91
ectomycorrhiza, 335, 539
ectomycorrhizal (ECM) fungi, 326
ectomycorrhizal symbiosis, 549
ectomycorrhizas, 313, 529
efficiency, 865
eif3c, 401
electrical signalling, 610
electrical signals, 715
elevated CO_2, 819
elevation, 291
elicitor, 723
elicitor perception, 595
endomycorrhiza, 335
environmental plasticity, 329
enzyme action and activity, 641
enzymes, 371
Eperua falcata, 865
Ericaceae, 773
Ethiopia, 517
ethylene, 723
evolution, 8
evolutionary convergence, 235

F_{st}, 51
Festuca ovina, 811
fireweed (*Chamerion angustifolium*), 612
Flaveria, 341
floating macrophyte, 449
floral isolation, 113, 265
floral syndromes, 253
floral transition, 393
flowering, 837
foliar physiognomy, 329
free-air CO_2 enrichment (FACE), 459
fructan, 735, 749
fructosyltransferase, 749

fruiting, 837
fungal genets, 313
fungal material, 13

gas exchange, 577
GenBank, 15
gene expression, 529, 855
gene flow, 51, 59, 133
genetics, 173
genome evolution, 165
genomics, 173
genotype, 585
genotypic control, 329
geographic cohesion, 253
geographic isolation, 703
germination, 415
glacial refugia, 211
global change, 459
global warming, 819
Glomus coronatum, 485
Glomus intraradices, 335, 877
Glomus mosseae, 495, 855
glucosinolates, 801
glucosylceramide, 677
glycanases, 641
Glycine max (*soybean*), 495
Glycine subgenus *Glycine* (perennial soybeans), 121
Golgi system, 641
Gossypium, 133
GPI-anchor, 677
grafting, 393
graminan, 735
grass, 811
greenup onset, 837
growth, 865

H_2O_2, 791
Hebeloma cylindrosporum, 539
hemicelluloses, 641
heterostyly, 235
horse chestnut (*Aesculus hippocastanum*), 415
human disturbance, 539
hybrid fitness, 83
Hybrid poplar, 577
hybrid speciation, 225
hybrid zone, 83
hybridization, 91, 113, 121, 133, 143, 165, 225
hypoxia, 35

Iberian peninsula, 837
incongruence, 121
individual variation, 473
induced defences, 801
infiltration, 595
inoculum dynamics, 569
inositolphosphorylceramide, 677
insectivorous ('motorized') plants, 610
intact leaf, 595
interaction range, 303
intraspecific variation, 473
introgression, 59, 121, 133, 143
invasive species, 91, 827
invertase, 495, 735
in vitro culture, 877
in vitro shoot organogenesis, 761
ion flux, 723
IP3, 610
Ipomopsis, 83
irradiance, 193, 449
isotopic discrimination, 371
ITS, 517

jasmonic acid, 801

karyotype, 107
karyotypic evolution, 107
key innovation, 113
Koeleria macrantha, 279

Laccaria bicolor, 326, 335, 529
Lamiaceae, 473
Lavandula latifolia, 473
Layia, 71
LbRAS-interacting Ap-180 like proteins, 529
leaf area index, 459
leaf development, 193, 324
leaf freezing tolerance, 773
leaf size, 585
leaf senescence, 781
leaf spot, 577
leaf-unfolding, 837
Lemna minor, 435, 449
Leontodon hispidus, 279
Lewontin–Krakauer test, 51
light conditions, 393
Lindera umbellata, 427
lineage sorting, 121
linkage disequilibrium, 51
local adaptation, 51
Lolium perenne, 811
long-chain base, 677
Lonicera japonica, 827
Louisiana Irises, 143
LRR-structured model, 427
luciferase, 387
Lycopersicon esculentum, 485, 761
Lycopersicon esculentum (tomato), 393

macroevolution, 341
magnesium, 199
maize (*Zea mays*), 35
Manuscript Central, 3
Marssonina brunnea, 577
matrix protein, 435
mean crowding, 473
Medicago truncatula, 855, 877
Mediterranean, 235
Mediterranean-type ecosystem, 21
membrane potential, 610
membranes, 435
meristem identity, 393
metabolic modeling, 371
metachromasy, 387
metal tolerance, 199
methylglyoxal *bis*-[guanyl hydrazone], 847
metrics, 3
microgametophyte competition, 473
microsatellite markers, 313
microsensors, 595
Microstegium vimineum, 827
microtubules, 613
milkweed, 265
Mimosa pudica, 715
model, 459
molecular clock, 211
molecular diversity, 517
molecular signalling, 324
monoterpenes, 21
morphogenesis, 613
morphology, 811
morphometry, 235
multiple origins, 121
Mycorrhizal mutants, 485

nanoinfusion, 324
natural selection, 225
nested clade analysis, 211
Net Ecosystem Exchange (NEE), 21
nickel, 199
nitrate, 749
nitrate reductase activity, 449
nitrate uptake, 449
nitrogen, 459, 749, 811
nocturnal warming, 819
nodal roots, 811
nonphotochemical quenching, 781
non-radioactive tracer, 303
Nothofagus cunninghamii, 585

null-balance chambers, 21
nurse plant, 485
nutrient uptake, 549

open access, 3
ornithine decarboxylase, 847
oxalate, 435
oxidative stress, 791
ozone, 791

palaeoecology, 339, 585
palaeogenetics, 339
paleobotany, 329
paleoecology, 329
paper birch (*Betula papyrifera*), 791
paradigms, 11
parallel evolution, 199, 253
Paris-type arbuscular mycorrhizas, 865
partial least squares (PLS) regression, 291
pathogen resistance, 595
PCR, 339
pectins, 641
peroxisomes, 791
phenological shifts, 837
Phoma, 15
phosphorus, 865
phosphorus limitation, 279
phosphorus uptake, 279
photoinhibition, 781
photoprotection, 781
photorespiration, 341
photosynthesis, 341, 459, 819
photosynthesis-disease-light relations, 577
Photo system II electron quantum yield, 715
phylogenetics, 13
phylogeny, 97, 165, 235
phylogeny reconstruction, 8
phylogeography, 211
phytoalexin, 723
phytoremediation, 549
Pinus sylvestris (Scots pine), 549
plant, 35
plant competition, 485
plant evolution, 211
plant functional type, 503
Plant speciation, 8, 11, 143, 173
plant–pollinator interactions, 235
pollen competition, 703
pollen database, 339
pollen tube numbers, 473
pollinator behavior, 83, 265
pollinator constancy, 113
pollinator fidelity, 703
pollutant N deposition, 279
polyamines, 847
polyphosphate, 387
polyphosphate kinase, 387
polyploid speciation, 703
polyploidy, 8, 91, 121, 173, 612
polysaccharides, 641
population size, 59
population structure and dynamic, 539
population subdivision, 59
Populus deltoides (cottonwood), 819
Populus trichocarpa, 335
postzygotic isolation, 703
potential evapotranspiration, 837
prezygotic isolation, 703
principal components analysis, 291
Programmed Cell Death, 35, 557
Prunus africana, 517
Prunus avium, 401
Pseudomonas fluorescens, 855
public DNA databases, 13

Q_{cf}, 51
quantitative real-time PCR (qRT-PCR), 877
quantitative trait loci (QTL), 225
Quaternary, 211
Quercus petraea, 151
Quercus robur, 151

rainfall changes, 837
recalcitrant seed, 415
reciprocal transplant, 83
recombination, 107
red spruce (*Picea rubens*), 291
reflectance spectra, 291
regeneration gene *Rg-1*, 761
regulation, 735, 749
reproductive isolation, 59, 71, 107, 265, 612
respiration, 819
reticulation, 121
RGR, 427
Rhizoctonia solani, 569
Rhizopogon, 313
Rhododendron, 773
rice (*Oryza sativa*), 35, 459
rmc, 485
root colonization, 855
root vs shoot uptake, 449
root-surface phosphomonoesterase, 279
S-adenosyl-methionine decarboxylase, 847
salicylic acid, 801
salt tolerance, 225
saprotrophic, 569
Saxifraga oppositifolia (Purple saxifrage), 211
Sclerotinia sclerotiorum, 847
seed dispersal, 151
seed dormancy, 401
seedlings, 865
selection, 59, 199
selective sweep, 59
self-incompatibility, 97
semispecies, 143
sequence mismatches, 15
sequences, 17
serpentine, 199
shoot demography, 427
shoot nitrogen, 503
shoot phosphorus, 503
signal transduction, 557
signalling, 193
simulation, 703
Sinorhizobium meliloti, 855
soil DNA, 539
Southern beech, 585
soybean (*Glycine max*) cells, 557
Spartina, 165
spatial patterns, 303
speciation, 59, 71, 83, 91, 97, 107, 113, 133, 165, 612
spermidine synthase, 847
sphingolipid, 677
SSU sequences, 17
stage, 427
Stephanomeria, 71
stomata, 193
stomatal complexes, 613
stomatal density, 585
stratification, 415
strontium, 303
succession, 151
sucrose, 495
sucrose synthase, 495
sucrose: fructan-6-fructosyltransferase (6-SFT), 735
sucrose: sucrose-1-fructosyltransferase (1-SST), 735
sucrose transport, 393
sugar sensing, 781
Suillus bovinus, 549
symbiosis-regulated Ras-like protein, 326
symbiotic signaling, 326
synthetic theory, 11

systemic, 193
systemic signalling, 324

Tagetes erecta, 517
Tansley, 3
taxonomic misidentification, 13
temperature, 819
terminal restriction fragment length polymorphism (T-RFLP), 503
thermal time, 415
tobacco (*Nicotiana tabaccum*), 193
Toluidine Blue O, 387
tomato, 761, 877
topology, 811
transgressive segregation, 225
trehalose, 749
tropical rainforest, 865
tuberculate, 313

understory communities, 827
UNIFLORA gene, 393
United States Department of Energy Joint Genome Institute (JGI), 335
uptake, 303

vacuole, 435
validity, 17
Verne Grant, 8, 143
voucher material, 15

wall assembly, 641
wall loosening and tightening, 641
weighted average, 303
wild cherry, 401
woody plants, 773

xyloglucan, 641

yeast two-hybrid screens, 326
yeast two-hybrid system, 529

zeatin, 761
Zn tolerance, 549
Zn toxicity, 549